



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/652,326

08/29/2003

Anand A. Kekre

VRT0098US

1638

60429 7590 04/17/2009  
CAMPBELL STEPHENSON LLP  
11401 CENTURY OAKS TERRACE  
BLDG. H, SUITE 250  
AUSTIN, TX 78758

EXAMINER

PHAM, KHANH B

ART UNIT

PAPER NUMBER

2166

MAIL DATE

DELIVERY MODE

04/17/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/652,326	<b>Applicant(s)</b> KEKRE, ANAND A.	
	<b>Examiner</b> Khanh B. Pham	<b>Art Unit</b> 2166	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 January 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,3,5-8,10,12-15,17,19-21 and 26 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,3,5-8,10,12-15,17,19-21 and 26 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims **1, 3, 5-8, 10, 12-15, 17, 19-21, and 26** are rejected under 35 U.S.C. 103(a) as being unpatentable over Federwisch (US 6,889,228 B1), and in view of Patterson et al. ("SnapMirror: File-System-Based Asynchronous Mirroring for Disaster Recovery"), hereinafter referred to as "**Federwisch**" and "**Patterson**" respectively.

**As per claims 1, 8, and 15**, Federwisch teaches a method, apparatus and medium for performing cascaded replication (See Fig. 2) comprising:

- "asynchronously, but not periodically replicating data to be written to a data volume of a first node to a data volume of a second node" at Col. 6 lines 15-55 and Fig. 2;
- "replicating data to be written to said data volume of said second node to a data volume of a third node, wherein said replicating data to be written to said data volume of said second node comprises periodically replicating, at a first

Art Unit: 2166

frequency, said data to be written to said data volume of said second node to said data volume of said third node” at Col. 6 lines 15-55 and Fig. 2;

- “replicating data to be written to said data volume of said third node to a data volume of a fourth node, wherein said replicating data to be written to said data volume of said third node comprises periodically replicating, at a second frequency, said data to be written to said data volume of said third node to said data volume of said fourth node” at Col. 6 lines 15-55 and Fig. 2;

Federwisch employs SNAPMIRROR software to perform cascaded replication, but does not explicitly teach that “said first frequency is higher than said second frequency.” Patterson teaches a method for achieving the right balance between potential data loss and costs of maintaining a replica in SNAPMIRROR, by adjusting update frequency. Patterson teaches at page 2, Col.1, 1<sup>st</sup> paragraph that: “Users set the update frequency. If the update frequency is high, the mirror will be nearly current with the source and very little data will be lost when disaster strikes. But, by lowering the update frequency, data managers can reduce the performance and network cost of maintaining the mirror at the risk of increased data lost”.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to implement Federwisch’s method using two different update frequencies as suggested by Patterson: the first frequency is higher to reduce data loss

Art Unit: 2166

and the second frequency is lower to reduce network cost and improve performance of the system.

**As per claims 3, 10, and 17**, Federwisch teaches a method of performing cascaded replication comprising:

- “asynchronously, but not periodically replicating data to be written to a data volume of a first node to a data volume of a second node” at Col. 6 lines 15-55 and Fig. 2;
- “replicating data to be written to said data volume of said second node to a data volume of a third node, wherein said replicating data to be written to said data volume of said second node comprises asynchronously replicating said data to be written to said data volume of said second node to said data volume of said third node” at Col. 6 lines 15-55 and Fig. 2;
- “replicating data to be written to said data volume of said third node to a data volume of a fourth node, wherein said replicating data to be written to said data volume of said third node comprises periodically replicating, a first frequency, said data to be written to said data volume of said third node to said data volume of said fourth node” at Col. 6 lines 15-55 and Fig. 2;
- “replicating data to be written to said volume of said fourth node to data volume of a fifth node, wherein said replicating data to be written to said data volume of said fourth node comprises periodically replicating, at a second frequency, said

Art Unit: 2166

data to be written to said data volume of said fourth node to said data volume of said fifth node” at Col. 6 lines 15-55 and Fig. 2;

Federwisch employs SNAPMIRROR software to perform cascaded replication, but does not explicitly teach that “said first frequency is higher than said second frequency.” Patterson teaches a method for achieving the right balance between potential data loss and costs of maintaining a replica in SNAPMIRROR, by adjusting update frequency. Patterson teaches at page 2, Col.1, 1<sup>st</sup> paragraph that: “Users set the update frequency. If the update frequency is high, the mirror will be nearly current with the source and very little data will be lost when disaster strikes. But, by lowering the update frequency, data managers can reduce the performance and network cost of maintaining the mirror at the risk of increased data lost”.

Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to implement Federwisch’s method using two different update frequencies as suggested by Patterson: the first frequency is higher to reduce data loss and the second frequency is lower to reduce network cost and improve performance of the system.

**As per claims 5, 12, and 19**, Federwisch and Patterson teach the method, apparatus and mediums of claims 3, 10, 17 discussed above. Federwisch also teaches: “wherein said asynchronously replicating data to be written to said data volume of said

Art Unit: 2166

first node comprises, asynchronously replicating data to be written to a data volume of a primary node to a data volume of an intermediate node; and said asynchronously replicating data to be written to said data volume of said second node comprises, asynchronously replicating data to be written to said data volume of said intermediate node to a data volume of a secondary node” at Col. 6 lines 15-55 and Fig. 2.

**As per claims 6, 13, 20**, Federwisch and Patterson teach the method, apparatus and mediums of claims 5, 12, 19 as discussed above. Federwisch also teaches: “wherein said asynchronously replicating data to be written to said data volume of said intermediate node comprises asynchronously replicating data to be written to said data volume of said intermediate node to a data volume of each of a plurality of secondary nodes” at Col. 7 lines 48-60 and Figs. 4.

**As per claims 7, 14, and 21**, Federwisch and Patterson teach the method, apparatus and mediums of claims 3, 10, 17 as discussed above. Federwisch also teaches:

- “said asynchronously replicating data to be written to said data volume of said first node comprises asynchronously replicating data to be written to said data volume of said first node to said data volume of said second node using a first data link coupled between said first node and said second node” at Col. 6 lines 15-55 and Fig. 2;

Art Unit: 2166

- “said asynchronously replicating data to be written to said data volume of said second node comprises asynchronously replicating data to be written to said data volume of said second node to said data volume of said third node using a second data link coupled between said second node and said third node” at Col. 6 lines 15-55 and Fig. 2;
- “and said first data link has a higher bandwidth than said second data link” at Col. 7 lines 48-60 and Fig. 4.

3. **Claim 26** is rejected under 35 U.S.C. 103(a) as being unpatentable over Federwisch and Patterson as applied to claims 1, 3, 5-8, 10, 12-15, 17, 19-21 above, and further in view of Teloh et al. (US 2003/0014432 A1), hereinafter “Teloh”.

**As per claim 26**, Federwisch and Patterson teach the method of claim 1 discussed above. Federwisch and Patterson do not explicitly teach: “writing the data to be written to the data volume of the first node to a replication log before asynchronously replicating the data to the data volume of the first node to the data volume of the second node.” However, Teloh teaches a similar replication method including the step of method of claim 1 discussed above. Federwisch and Patterson do not explicitly teach: “writing the data to be written to the data volume of the first node to a replication log before asynchronously replicating the data to the data volume of the first node to the data volume of the second node” at [0057] and Fig. 8. Thus, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine Teloh



Art Unit: 2166

with Federwisch and Pattereson's system in order to "ensure the data on the remote storage device matches the data on the local storage device" as suggested by Teloh at [0057].

### ***Response to Arguments***

4. Applicant's arguments filed 1/27/2009 have been fully considered but they are not persuasive. The examiner respectfully traverses applicant's arguments.

Applicant argued that Federwisch fails to mention either asynchronous or periodic replication, the examiner agrees that because Federwisch fails to mention periodic replication, Federwisch therefore teaches "not periodically replicating data" as claimed.

However, Federwisch teaches at Col. 6 lines 25-30 the step of mirroring the data from a first filer to a second filer utilizing conventional mirroring such as SnapMirror, which is an asynchronous synchronization application, Federwisch therefore teaches asynchronous replicating data as claimed.

In light of the foregoing arguments, the 35 U.S.C 103 rejection is hereby sustained.

### ***Conclusion***

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 2166

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

The prior art made of record, listed on form PTO-892, and not relied upon, if any, is considered pertinent to applicant's disclosure.

If a reference indicated as being mailed on PTO-FORM 892 has not been enclosed in this action, please contact Lisa Craney whose telephone number is **(571) 272-3574** for faster service.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khanh B. Pham whose telephone number is (571) 272-4116. The examiner can normally be reached on Monday through Friday 7:30am to 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hosain Alam can be reached on (571) 272-3978. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2166

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Khanh B. Pham/  
Primary Examiner  
Art Unit 2166

April 15, 2009